

VSN MINI 300

Compact Video Wall Controller



Scalable Capture and Display

VITEC VSN controllers are engineered from the ground up for maximum performance, reliability, and efficiency. They capture, process, and display content on video walls across a range of industries, from small corporate meeting rooms to large critical control rooms and prestige installations.

Small Size, Big Performance

With its slick form factor, the VSN MINI 300 is designed to be space conscious for easy installation into any environment.

Reliability

As with all VITEC VSN systems, the VSN MINI 300 uses long-life industrial grade components to provide the reliability and dependability needed by today's mission-critical control room environments.

Features & Benefits

- Fully configurable input and output connectivity to suit system needs
- Up to 4kp60 capture for the most modern high quality sources
- Native IP stream ingest ensures full integration with VITEC IP Video systems
- Near-silent operation enables the unit to go un-noticed in working environments

Specifications

Backplane

- 3x PCIe slots

Processor

- Intel Core i7

Memory

- 32GB

Storage

- 500 GB M.2 drive

Ethernet

- 2 x Gigabit Ethernet ports

Connectivity

- DisplayPort, HDMI, 3.5mm audio jack
- 8 x USB 3.0 ports
- 2 x USB 2.0 port

Operating System

- Windows 11 IoT

Physical

- Dimensions (with stand)
 - Vertical: 374 x 110 x 395mm
 - Horizontal: 360 x 375 x 115mm
- Dimensions (without stand)
 - 355 x 95 x 375 mm
- Weight: 4 - 6kg (shipped 4 - 6kg)

Environmental/Regulation

- Operating temperature: 0°C to 35°C/32°F to 96°F
- Storage temperature: -20°C to 70°C/-4°F to 158°F
- Operating altitude: Up to 5,000m
- Power supply: ATX 650W 100-240v 80PLUS Gold
- Noise: 33.1dB, dependent on system configuration & ambient temperature
- Relative humidity: 5%-90% non-condensing
- Compliance: FCC/CE/RoHS

Ordering Information (P/N)

- 19415-xx - VSN MINI 300 - Video Wall Controller - 3 slots

- All products are shipped with the latest software versions, unless stated otherwise. The specification stated is a minimum only. Higher specification systems may be provided without prior notice. Special requirements may be organized by contacting VITEC Sales.